




Just *enjoy* life!



Folding arm awning

Economy








Economy – purist and patently good Folding arm awning for patios and balconies



Functional and reliable – the front profile brackets

Shapely yet robust – the arm brackets



Well designed

- Width 1 unit max. 600 cm, • drop max. 300 cm
- Supplied as standard with classic valance
- Crank operation
- Open type

On the basic Economy type, the awning fabric roller is exposed ("open"). Round end caps at the sides create a harmonious impression.

Rain Cover type

The protective cover protects the awning against the effects of the weather when it is retracted.

Quality and youthful design at a budget price:

The Economy awning is the perfect solution for anyone looking for a highquality, well-designed sunshade. The folding arm awning offers a convincing combination of top Lewens quality, proven back bar technology, easy operation and a host of optional features.

LED lighting

Equipped with a radio receiver, suitable

mood lighting for any situation can be

created by remote control or via the

home automation system.



Options: Electric motor, radio motor/radio remote control, automatic weather sensor, LED lighting, radiant heater, support legs





Options

Want extra features for added convenience?

Then you can equip your awning with can also be integrated into a home automation system.




Radio controllers

create the prerequisites for integrating all patio functions into the home



Automatic weather sensor

automatic, weather-dependent control of awnings – even when



Infrared radiant heaters

create a cosy atmosphere and pleasant warmth under awnings and glass roofs,

Economy

Equipment and technical features





made	
in	
germany	

Manufactured and assembled in Germany



TÜV-tested safety

Quality and technology CE-compliant

Туре	Open	Rain Cover
Back bar awning – standard dimensions, retracted (H x D)	approx. 182 x 197 mm	approx. 245 x 248 mm
Unit widths [max.]		
1 unit (single panel)	600 cm	600 cm
Overall width	= unit width	= unit width + 7 cm
Supporting shell (in the centre of the awning)	from 551 cm	from 551 cm
Drops		
Arm lengths 150 / 200 / 250 / 300 cm		
Special arm lengths		
Drive		
Crank drive		
Electric motor (for wall switch)		
Radio motor		
Frame colours		
White RAL 9016		
Natural silver (E6/EV 1 anodized, small components RAL 9006)		
Additional RAL, special colours and effect finishes		
Awning fabrics from the LEWENS collection		
Branded acrylic (spun-dyed, ultra fade resistant)		
Branded polyester/recycled polyester (spun-dyed, ultra fade	resistant)	
Tenara quality sewing yarn		
Ultrasonic seam welding		
Valance		
with valance		
Options		
1 Electric motor		
z Radio motor + radio remote control		
3 Automatic weather sensor (sun, wind, rain)		
4 Lighting: LED spot bar		
5 Radiant heater (with 4 only wall attachment)		
σ Support legs		
Attachment		
Wall		
Ceiling/rafters		-

■ Standard □ Option − not available

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.



Your stockist will be happy to advise you:



www.lewens-markisen.de